

DECLARATION OF CONFORMANCE

DoC N°: JCI/FSDAC54

Product Type:	54 Range - Timber Folding Sliding Door with Aluminium Cladding Exterior
Intended Use:	For use in domestic and commercial premises Not intended for use on escape route
Declared System of Assessment Performance:	3
Provisions to which the Product Conforms:	Annex ZA of BS EN 14351-1:2006+A1:2010
Reference to Supporting Product Certification and/or Test Reports <i>(supportive of compliance):</i>	Build Check Ltd - Weather Tightness Report W12292-4 Build Check Ltd - Thermal Performance Report CU13326-1

Declared Performance:

Essential Characteristics

Resistance to Wind Load:

Watertightness:

Dangerous Substance:

Load Bearing Capacity of Safety Device:

Acoustic Performance

Thermal Transmittance:

Radiation Properties:

Air Permeability:

Performance

Class A3 (1600Pa)

Class 3A (100Pa)

No emissions of dangerous substances emitted

Npd

Npd

1.6w/(m²K)

Npd

Class 2 (300Pa)

This declaration of performance is issued under the sole responsibility of JCI Limited.

Signed for and on behalf of the Company by

Name of Representative: John Collins

Job Title: Managing Director

Representative Signature:



Date of Issue: 11th November 2013

Product CE Marking Detail:

