Product Specification

Inspire

Internal Bifold

Transform your living space with Vufold Inspire bifold doors.

Available in an industrial design or classic white and oak that is adaptable for modern and traditional homes.

These doors offer draught seals between the doors and frame to reduce draught and noise between rooms.

All backed by our market leading 15-year guarantee.








vufold.co.uk

Inspire 2 Door Design





For more information:


*Please note, drawings are not to scale

01625 44 28 99 | sales@vufold.co.uk | vufold.co.uk



Inspire 3 & 4 Door Design





	TECH SPEC	
	Typical sightline	164mm (80mm per door)
	Safety Glass	European Standard BSEN12150 & BSEN12600
	Glazing Spec	4mm Thick Clear Toughened Safety Glass
	Glazing Bar Thickness	28mm

*Please note, drawings are not to scale

For more information:

01625 44 28 99 | sales@vufold.co.uk | vufold.co.uk



Inspire Standard Sizes

SIZE	VISIBLE GLASS*	OUTER FRAME	BRICKWORK*	WEIGHT	WALL SPACE
1.2m (2 Door)	379mm	1190mm x 2007mm	1200mm x 2017mm	52kg	589mm
1.5m (2 Door)	529mm	1490mm x 2007mm	1500mm x 2017mm	68kg	739mm
1.8m (3 Door)	392mm	1790mm x 2007mm	1800mm x 2017mm	78kg	602mm
2.1m (3 Door)	492mm	2090mm x 2007mm	2100mm x 2017mm	87kg	702mm
2.4m (4 Door)	398mm	2390mm x 2007mm	2400mm x 2017mm	95kg	608mm
2.7m (4 Door)	473mm	2690mm x 2007mm	2700mm x 2017mm	104kg	683mm

(Bespoke sizes and configurations available upon request)


* Visible glass dimensions shown are per door leaf





Inspire Configuration





For more information:



