
Product Specification

Supreme

BIFOLD

Our most contemporary doors to date. Boasting our narrowest sightlines with a glass-to-glass measurement of only 120mm. The Supreme range offers a selection of configurable options with an internal one-piece threshold for quicker installations. Like all Vufold products, they're beautifully engineered and come ready-glazed, complete with all the drill bits and fixings you need for super-smooth easy installation.





(Detailed product diagrams overleaf)





Product Overview


Supreme

BIFOLD

Max Individual Door Size 1.0m Max Individual Door Height 2.5m Max Individual Door Weight 120Kg







TECH SPEC	DOUBLE GLAZED
Frame depth	81mm
Typical sightline	120mm
Profile	Square
Maximum panel width	1.0m
Maximum panel height	2.5m
Energy Rating	С
Air permeability	Class 4 600Pa
Resistance to wind load	Class A3 1200Pa
Water tightness	Class 9A 150Pa







Supreme

BIFOLD DOOR STANDARD SIZES & CONFIGURATIONS

SIZE	VISIBLE GLASS*	OUTER FRAME	BRICKWORK	WEIGHT
1.8m (2 Door)	726mm	1790mm x 2090mm	1.8m x 2.1m	82kg
2.1m (3 Door)	556mm	2090mm x 2090mm	2.1m x 2.1m	90kg
2.4m (3 Door)	656mm	2390mm x 2090mm	2.4m x 2.1m	103kg
2.7m (3 Door)	756mm	2690mm x 2090mm	2.7m x 2.1m	115kg
3.0m (3 Door)	856mm	2990mm x 2090mm	3.0m x 2.1m	130kg
3.6m (4 Door)	766mm	3590mm x 2090mm	3.6m x 2.1m	160kg
4.0m (4 Door)	866mm	3990mm x 2090mm	4.0m x 2.1m	166kg
4.2m (5 Door)	715mm	4190mm x 2090mm	4.2m x 2.1m	172kg
4.8m (5 Door)	835mm	4790mm x 2090mm	4.8m x 2.1m	201kg
4.8m (6 Door)	678mm	4790mm x 2090mm	4.8m x 2.1m	195kg
5.0m (5 Door)	875mm	4990mm x 2090mm	5.0m x 2.1m	208kg
6.0m (6 Door)	878mm	5990mm x 2090mm	6.0m x 2.1m	251kg

⁽Bespoke sizes and configurations available upon request)

^{*} Visible glass dimensions shown are per door leaf

